

NP-5xxOPN Open-Frame Industrial Monitor

8", 12.1" & 15"




NP-5xxOPN open frame industrial monitors are built to withstand the most challenging environments. All of our displays are manufactured with high quality components to assure reliable long term operation.

Specifications


	NP-508OPN	NP-516OPN	NP-515OPN
Display			
Display Type	8" TFT / LCD	12.1" TFT / LCD	15" TFT / LDC
Resolution	800 x 600	1024 x 768	1024 x 768
Max. Color	16.2m	16.2m	16.7m
Luminance (cd/m²)	450	500	300
Viewing Angle (Degree)	140/125	160/140	160/140
System			
External I/O Port	1 X Audio-in phone jack		
	1 x DP		
	1 X DVI		
	1 X HDMI		
	1 X VGA		
	3 pins terminal block connector, DC Power input		
	OSD on rear side		
Touch screen	NP-508OPN	NP-512OPN	NP-515OPN
Type	Resistive Touch Screen(USB)		
Backlight Lifetime	40000 Hours	30,000 Hours	70,000 Hours
Power Supply	Included		
Power Input	9~36V DC		
Consumption	Max:5W	Max:13W	Max:13W

Mechanical			
Construction	Steel chassis		
Mounting	Panel mounting, VESA 75 x 75	Panel mounting, VESA 100 x 100	
Dimensions (WxHxD)(mm)	208 x 191 x 42 x 50	300 x 250 x 38	357 x 291 x 56.2
Net Weight	1.3 Kg	1.9 Kg	3.7 Kg
Environmental			
Operating Temperature	0~50C		
Storage Temperature	-20~60C		
Relative Humidity	10 to 90% @ 40°C, non- condensing		
Certificate	CE.FCC class A		

NP-508OPN



NP-512OPN



NP-515OPN

